

## Neve go and a second se





<u>zep</u>

ep

RIPPANTE LUBRIFICANTE EGRIPPANT LUBRIFIANT ENETRATING LUBRICANT WITH PTFE

www.zepeurope.com

NET 600 ml 800 3 C

2EP EUROPE N& Tit. +31 164 250100 - BY: Tit. +33 2 3765 BY: Tit. +93 21 374158 - CB; Tit. +33 90 920 BY: Tit. +93 23 174158 - CB; Tit. +34 59 94/09 BY: Tit. +34 22 1020 - KCH2; Tit. +43 28 46 B: 66C; Tit. +34 928 759520 - (H2; Tit. +34 98 147)



DUAL FORCE DD GREASE

with PTFE

ZEP EUROPI

NET 550 ml 800 3

 WWW.Zepeurope.com

 2P LUCOPL

 No. 64:1042.0000.01614.4122.0000000

 No. 64:1042.0000.01614.4122.0000000

 No. 62:212.00017.0000.014.44151.021000

 No. 64:022.000000.0100.014.44151.0210000

 No. 64:020.0000.0100.014.44151.0210000

 No. 64:020.0100.0110.014.44151.0210000

 No. 64:020.0100.0110.014.44151.0210000

 No. 64:021.0200.0110.014.44151.0210000

 No. 64:021.0200.0110.014.44151.0210000

 No. 64:021.0200.0110.014.44151.0210000

 No. 64:021.0200.0110.014.44151.0210000

 No. 64:021.0200.0110.014.44151.0210000

 No. 64:021.0200.0110.014.44151.0210000

 No. 64:021.0200.0110.014.4151.0210000

 No. 64:021.0200.0110.014.4151.0210000

 No. 64:021.0200.0110.014.4151.0210000

with PTFE

Zep Food Technology

## NSF H1 REGISTERE

NSF

with PTFE

FOOD

MULTI PURPOS

## NET 600 ml 800 3

WWW.ZEPEUROPE.COM ZEPEUROPE NUS weich forstell off for 4322.0008 Other and 221 forstell of for 4322.0008 Min weicht forstell off for Min weicht for 4322.000 Min weicht for 432.000 Min weicht for 432.0000 Min weicht for 432.00000 Min weicht for 432.0000 Min weicht for 432.00

Zep Food Technology

Following the success of the unique ZEP 45, known and appreciated throughout the world for its excellent performance and versatility since its launch in 1982, Zep proudly presents the new ZEP 45 DUAL FORCE, ZEP 45 FOOD and ZEP 45 FOODGREASE.



- Contains PTFE for long lasting effect.
- Great lubrication and penetration.

NET 600 ml 800 3 C

Taking the superiority of the original Zep 45 as the benchmark, Zep has formulated these new products to improve performance in industry and to ensure the same high standards in the food industry.

Thanks to the new formulations that are NSF H1 registered, the products are safe for users and very effective in production processes. The superior performance of the new ZEP 45 range and the NSF H1 registrations guarantee our current and future customers the certainty of working with high quality products without any compromise.

The ZEP 45 family has arrived!

## ZEP 45 FOOD

NSF H1 high quality penetrant & lubricant fortified with PTFE.

- NSF H1 registered, product is suitable when incidental food contact may occur.
- 2 in 1: penetrates and lubricates.
- Quickly unlocks.
- Protects against corrosion.
- Long lasting thanks to PTFE.
- Odourless and colourless.

ZEP 45 FOODGREASE



BR073NL-09

NSF H1 high performance white grease fortified with PTFE.

- NSF H1 registered, product is suitable when incidental food contact may occur.
- Excellent lubricating and adhesive capacities.
- Long lasting action thanks to PTFE.
- Contains EP additives: also suitable for use in extreme pressure circumstances.
- Protects against corrosion.
- High purity  $\rightarrow$  odourless.



lonfood Compounds Program Listed (H1) (151729)



Zep Food Technolo

**BOOD**GREASE

FOOD

NET 600 ml 800 3

Zep Food Technol

